

CONTRAINDICATIONS FOR MORPHEUS8/LUMECCA/DIOLAZE/FORMA TREATMENT:

- Under 18 years of age*
- o Active electrical implant in any region of the body, pacemaker or internal defibrillator
- Metal implants, plates, screws or mesh in the treatment area*
- History of herpes simplex or other diseases stimulated by heat*
- Active malignancy or cancer treatment within the last 5 years*
- Diseases which may be stimulated by radio frequency*
- o Any active condition in the treatment area, such as open lacerations, abrasions or lesions
- Pregnancy and nursing*
- Use of anticoagulants or history of bleeding disorders*
- Use of medications or herbs inducing photosensitivity*
- Current or history of Gold Therapy
- Significant conditions such as diabetes, cardiac disease, autoimmune diseases, uncontrolled Hypertension, epilepsy, liver or kidney disease that may impede wound healing response and interfere with proper recovery*
- History of epidermal or dermal disorders involving collagen or microvasculature*
- Diseases of the immune system such as HIV, AIDS or immunosuppressive medications*
- Psoriasis, eczema, or rashes, or herpes simplex virus infection in the treatment zone*
- o Melanoma or dysplastic nevi
- History of skin disorders, keloids, very dry, fragile skin, or abnormal would healing*
- Needle epilation waxing of tweezing in the past 6 weeks*
- Surgical or invasive, ablative procedure in the treatment area within the last 3-12 months that is not healed*
- o Superficial injection of biological fillers in the last 6 months, or Botox in the last 2 weeks
- o Treating over Tattooed skin, lips, eyebrows, or permanent makeup
- Excessively/fresh tanned skin within past 2 weeks*
- History of Accutane or oral corticosteroid use in the previous 6 months*
- (*) These conditions will need to be discussed with the Dr. to see if treatment can be performed. In such a case, a small area may be treated and assessed a few days later to determine if you will tolerate the treatment without developing adverse effects.

Note: In case of uncertainty regarding potential side effects, the patient should consult her specialist

Physician and bring a written consent for treatment